

PRODUCT: Dynamic Receiver

EDITION: A/2016

Soberton Inc.

THIS SPECIFICATION COVERS OUR PRODUCT OF DYNAMIC RECEIVER UNIT FOR MOBILE TELEPHONE USE

RECEIVER ELECTROACOUSTIC CHARACTERISTICS


sound pressure level	103±3dB SPL @1KHz (0dB SPL=20μ Pa)
	Input voltage: 179mV (Sine wave) measured with IEC318 coupler.
 resonance frequency (FO)	700±150Hz at 179mVrms Sine Wave
 measuring diagram	Shown in Fig.1
earpiece view	Show in Fig.2
typical frequency response	Shown in Fig.3.
 curve	
 rated noise power	20mW.
short-term max.power	30mW
distortion	<5% @ 1KHz Input 179mV
operation test	Must be free of audible noise (buzzes and rattles)
	$(300 \sim 3400 \text{Hz} \text{ frequency range}$, input level up to 0.8Vrms)

GENERAL SPECIFICATIONS

operating temperatu	e -20°C ~ +60°C	
range		
storage temperature	ange -20°C ~ +60°C	
dc resistance	28±10%Ω	
ac impedance	32±20%Ω(@ 1KHz 179mV)	
dimension	12 x 6 x 4.8 mm	

TYPICAL FREQUENCY RESPONSE CURVE

FREQUENCY MEASURING CIRCUIT (RECEIVER MODE) (Fig.1)






PRODUCT: Dynamic Receiver


EDITION: A/2016

Soberton Inc.


TYPICAL FREQUENCY RESPONSE CURVE (Continued)

EARPIECE VIEW (Fig.2)





TYPICAL FREQUENCY RESPONSE CURVE (RECEIVER MODE) (Fig.3)





PRODUCT: Dynamic Receiver

EDITION: A/2016



TEST CLIMATIC CONDITIONS

STANDARD TEST CONDITIONS

temperature	15~35℃
relative humidity	25%~75%(RH)
air pressure	86~106KPa

RELIABILITY TESTS

The sound pressure as specified shall neither deviate more than ± 3 dB from the initial value, nor any significant damage after any of following testing.

HIGH TEMPERATURE TEST	•	
high temperature	+75±2°C	
duration	96 hours	
LOW TEMPERATURE TEST		
low temperature	-40±2°C	
duration	96 hours	
HEAT SHOCK TEST (See in	Fig. 4)	
high temperature	+75±2℃	
low temperature	-40±2°C	
changeover time	< 30 seconds	
duration	1 hour	
cycle	10	
HUMIDITY TEST		
temperature	+40±2°C	
relative humidity	90~95%	
duration	48 hours	
TEMPERATURE CYCLE TES	TEMPERATURE CYCLE TEST (See in Fig. 5)	
temperature	-40°C +75°C	
duration	45 minutes 45 minutes	
temperature gradient	1~3°C/min.	
cycle	10	
DROP TEST		
mounted with dummy set mass	100 g	
height	1.5 m	
cycle	6 (1 each plain) onto the concrete board	
LOAD TEST		
noise signal	White noise (EIA filter)	
input power	10mW (0.56Vrms)	
duration	96 hours	




PRODUCT: Dynamic Receiver

EDITION: A/2016


Soberton Inc.

TEST METHOD

HEAT SHOCK TEST (Fig. 4)





TEMP. CYCLE TEST (Fig. 5)



PRODUCT EXTERNAL VIEW AND DIMENSIONS (Fig. 6)

Tolerance +/- 0.5 (unit: MM)





no	item	material	quantity
1	Magnet	Nd-Fe-B	1
2	U-Yoke	Iron	1
3	Pole Piece	Iron	1
4	Voice Coil	Copper	1
5	Membrane	PEI	1
6	Terminal	Steel	1



PRODUCT: Dynamic Receiver

EDITION: A/2016

Soberton Inc.

PACKING

