NOTES: THIRD ANGLE PROJ. 🕀 🖯 REVISIONS REV DESCRIPTION DATE ECO APPR I. MATERIALS AND FINISHES: BODY - STAINLESS STEEL, PASSIVATED. CONTACT - BeCu, GOLD PLATING INSULATOR - PTFE, NATURAL RELEASE TO MFG - -В REDRAWN IN PRO-E & COD SHEET ADDED 6/18/15 50333 NR 2. ELECTRICAL: A. IMPEDANCE: 50 OHM 3. MECHANICAL: A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -65° C TO +165° C 4. PACKAGING: A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED SCALE 2.000 "AMPHENOL RF, 901-9839 AND DATE CODE" —— 0.375 REF —— — 0.265 REF — -□0.500 REF -0.065 REF — 0.205 REF — 0.340 REF ΤΥΡ ⊥ Ø0.163 REF Ø0.050 REF INTERFACE PER-MIL-STD-348 SERIES: SMA JACK -0.102TYP(4) 1/4-36UNS-2A THREAD-EPOXY CAPTIVATED DESIGN-Ø 0.625 REF **CUSTOMER OUTLINE DRAWING** ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: MATERIAL DATE DRAWN Amphenol RF 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES 01-Jan-15 RAJAGOPAL N $\pm .015$ (0,381 mm) $\pm .005$ (0,127 mm) SMA STR JACK 4 HOLE SEE NOTES NOTICE - These drawings, specifications, or other data (I) are, and remain the ENGINEER DATE property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they FLANGE PANEL MOUNT www.amphenolrf.com 12-Feb-93 RAV are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data. REFERENCE EAR # 963521 APPROVED DATE DRAWING NO.901-9839 K. CAPOZZI 6/18/15 SCALE: 10.0:1.0 SHEET 2 OF 2 ITEM NO.901-9839 CONFIGURATION LEVEL: In Work CAD FILE DWG SIZE REV В | PART NO.901-9839 FINISH